

Primary human bronchial and nasal epithelial culture in air liquid interface

Commonly used acronym: ALI-HBEC, ALI-HNEC

Created on: 19-10-2022 - Last modified on: 19-10-2022

Contact person

Sophie Gohy

Organisation

Name of the organisation Cliniques universitaires Saint-Luc, UCLouvain

Department IREC, PNEU

Country Belgium

SCOPE OF THE METHOD

| | |
|-------------------------------------------------|------------------------------------|
| The Method relates to | Human health |
| The Method is situated in | Basic Research |
| Type of method | In vitro - Ex vivo |
| Specify the type of cells/tissues/organs | Bronchi, nasal and sinusal tissues |

DESCRIPTION

Method keywords

HBEC

HNEC

ALI

air-liquid interface

primary culture

respiratory epithelium

Scientific area keywords

lung

bronchus

sinus

nasal polyps

chronic rhinosinusitis

cystic fibrosis

allergic rhinitis

Chronic obstructive pulmonary disease

human airways

Method description

After digestion with pronase, human epithelial cells are cultured on flask and then on inserts to recapitulate a fully differentiated epithelium.

Method status

Published in peer reviewed journal

REFERENCES, ASSOCIATED DOCUMENTS AND OTHER INFORMATION

Associated documents

[Colin et al. 2020. Ebiom. Lung IgA in CF..pdf](#)

[Gohy et al. 2015. ERJ. EMT and COPD.pdf](#)

[Gohy. 2014. Ajrccm. plgR and COPD.pdf](#)

[Carlier 2020. Ebiom.pdf](#)

Coordinated by



Financed by

