

Primary human bronchial and nasal epithelial culture in air liquid interface

Commonly used acronym: ALI-HBEC, ALI-HNEC

Created on: 19-10-2022 - Last modified on: 19-10-2022

SCOPE OF THE METHOD

The Method relates to	Human health
The Method is situated in	Basic Research
Type of method	In vitro - Ex vivo
This method makes use of	Human derived cells / tissues / organs
Specify the type of cells/tissues/organs	Bronchi, nasal and sinusal tissues

DESCRIPTION

Method keywords

HBEC

HNEC

ALI

air-liquid interface

primary culture
respiratory epithelium

Scientific area keywords

lung
bronchus
sinus
nasal polyps
chronic rhinosinusitis
cystic fibrosis
allergic rhinitis
Chronic obstructive pulmonary disease
human airways

Method description

After digestion with pronase, human epithelial cells are cultured on flask and then on inserts to recapitulate a fully differentiated epithelium.

Lab equipment

Method status

Published in peer reviewed journal

REFERENCES, ASSOCIATED DOCUMENTS AND OTHER INFORMATION

Associated documents

[Colin et al. 2020. Ebiom. Lung IgA in CF..pdf](#)
[Gohy et al. 2015. ERJ. EMT and COPD.pdf](#)
[Gohy. 2014. Ajrccm. pIgR and COPD.pdf](#)

[Carlier 2020. Ebiom.pdf](#)

PARTNERS AND COLLABORATIONS

Organisation

Name of the organisation Cliniques universitaires Saint-Luc, UCLouvain

Department IREC, PNEU

Country Belgium

Coordinated by



Financed by

