

Culturing HeLa cells

Created on: 20-03-2019 - Last modified on: 28-02-2022

Contact person

Jessie Neuckermans

Organisation

Name of the organisation Vrije Universiteit Brussel (VUB)

Department Pharmaceutical and Pharmacological Sciences

Specific Research Group or Service In Vitro Toxicology and Dermato-Cosmetology

Country Belgium

SCOPE OF THE METHOD

The Method relates to	Human health
The Method is situated in	Basic Research, Translational - Applied Research
Type of method	In vitro - Ex vivo
Specify the type of cells/tissues/organs	HeLa cells

DESCRIPTION

Method keywords

Culturing

	Transfection
	cell culture
	cells
	cancer cell line
	mammalian
	Scientific area keywords
	Cell culture
	virus studies
	cytotoxicity
	transfection
١	Method description
	HeLa cells are the first continuous cancer cell line and were isolated from the aggressive glandular cervical cancer of a 31-year old woman. It was the first aneuploid line derived from human tissue maintained in continuous cell culture. Knowledge of almost every process that occurs in human cells has been obtained using HeLa cells. The cells should be handeld under laboratory containment level 2 and are identified as a contaminant in many other cell lines. Culture medium: EMEM + glutamine + NEAA + FBS; 5% CO2; 37 °C Growth mode: adherent Split sub-confluent cultures (70 % - 80 %) 1:3 to 1:10, seeding at 1.3x10,000 cells/cm² using Trypsin.
L	Lab equipment
	Biosafety cabinet;
	Incubator;
	Microscope;
	T-flasks.

Method status

Still in development

History of use

PROS, CONS & FUTURE POTENTIAL

Advantages

Stable genome after years of cultivation;

Applying selection pressure is possible;

Grow rapidly given the right medium and space.

Challenges

Can infect other cells;

Can grow aggressively;

Avoid cross-contamination;

Use of serum.

REFERENCES, ASSOCIATED DOCUMENTS AND OTHER INFORMATION

Coordinated by









