

# Viability assay with fish gill cell line to assess acute toxicity

Commonly used acronym: RTgill-W1 cell line assay

Created on: 15-01-2020 - Last modified on: 20-01-2020

# **Organisation**

Name of the organisation Vlaamse Instelling voor Technologisch Onderzoek (VITO)

**Department** Health

**Country** Belgium

Geographical Area Flemish Region

#### Partners and collaborations

Swiss Federal Institute of Aquatic Science and Technology (EAWAG)

## SCOPE OF THE METHOD

The Method relates to	Environment
The Method is situated in	Translational - Applied Research
Type of method	In vitro - Ex vivo
Species from which cells/tissues/organs are derived	Rainbow trout, Oncorhynchus mykiss
Type of cells/tissues/organs	Gill tissue

## **DESCRIPTION**

## **Method keywords**

cell viability test

fish gill cell line

cell metabolic activity

lysosomal membrane integrity

cell membrane integrity

#### Scientific area keywords

fish acute toxicity

chemical exposure

#### **Method description**

The rainbow trout gill cell line assay quantifies cell viability using fluorescent measurements for metabolic activity (Alamar Blue, AB), cell membrane integrity (5-CarboxyFluorescein DiAcetate AcetoxyMethyl ester, CFDA-AM) and lysosomal membrane integrity (Neutral Red, NR). Chemicals are added to confluent RTgill-W1 cell monolayers in 24-well plates with L-15/ex medium (a simplified version of L-15 cell culture medium without serum). Cells are incubated for 24 hours in the incubator (19°C, normal atmosphere, in the dark). At the end of the exposure, cell viability measurements are performed with 3 fluorescent indicator dyes on the same set of exposed cells.

## Lab equipment

Laminar flow;

Incubator (room temperature, no CO2);

Microplate reader for fluorescence detection.

#### **Method status**

History of use

Internally validated

Published in peer reviewed journal

# PROS, CONS & FUTURE POTENTIAL

#### **Advantages**

Cell line model with limited requirements;

Robust assay: repeatability and reproducibility is shown through inter- and intralaboratory studies ;

Alternative model to predict fish acute toxicity.

#### Challenges

Exposure of chemicals (bioavailability).

## REFERENCES, ASSOCIATED DOCUMENTS AND OTHER INFORMATION

#### References

Fischer, M; Belanger, SE; Berckmans, P; Bernhard, MJ; Blaha, L; Schmid, DEC; Dyer, SD; Haupt, T; Hermens, JLM; Hultman, MT; Laue, H; Lillicrap, A; Minarikova, M; Natsch, A; Novak, J; Sinnige, TL; Tollefsen, KE; von Niederhausern, V; Witters, H; Zupanic, A; & K. Schirmer (2019). Repeatability and reproducibility of the RTgill-W1 cell line assay for predicting fish acute toxicity. Toxicological Sciences, 169 (2), 353-3640.

Tanneberger, K., Knoebel, M., Busser, F. J. M., Sinnige, T. L., Hermens, J. L. M., and Schirmer, K. (2013). Predicting fish acute toxicity using a fish gill cell line-based toxicity assay. Environ. Sci. Technol. 47, 1110–1119.

ISO 21115:2019. Water quality — Determination of acute toxicity of water samples and chemicals to a fish gill cell line (RTgill-W1).

Coordinated by









