

Heart-on-chip monitoring of cardiomyocyte electrical activity

Commonly used acronym: Microelectrode arrays

Created on: 26-08-2019 - Last modified on: 08-11-2019

Contact person

Thomas Pauwelyn

Organisation

Name of the organisation Interuniversitair Micro-Electronica Centrum (IMEC)

Department Life Science Technologies

Country Belgium

Geographical Area Flemish Region

SCOPE OF THE METHOD

The Method relates to	Animal health, Human health
The Method is situated in	Basic Research, Translational - Applied Research
Type of method	In vitro - Ex vivo
Specify the type of cells/tissues/organs	Human induced pluripotent stem cells derived cardiomyocytes

DESCRIPTION

Method keywords

action potentials

local field potentials

heart-on-chip

induced pluripotent stem cells

cardiac toxicity

drug testing

in vitro

Scientific area keywords

cardiac toxicity

organ-on-chip

drug screening

in vitro cell culture

Method description

This method is used to monitor cardiac cell cultures *in vitro*. It can be used for monitoring both cell activity and drug-induced cardiac side-effects for primary cardiomyocytes or hIPSC-derived cardiomyocytes. Unlike conventional microelectrode array systems that only measure the local field potentials around cardiac cells, the imec-developed microelectrode array monitors the extracellular electrical activity, intracellular (open-cell) action potentials, and impedance of cells cultured directly on the chip. Furthermore, this method offers high throughput recordings of cells: the CMOS-based chip contains 16384 recording electrodes, wherein 1024 channels can simultaneously record multimodal cell electrophysiology on single-cell level. This multimodal MEA may open up new opportunities in high-throughput cell-based pharmacological screening as well as fundamental studies of cells.

Lab equipment

Imec-developed microelectrode array chips and read-out setup.

Method status

PROS, CONS & FUTURE POTENTIAL

Advantages

High quality electrical recordings (intracellular action potential recordings) High spatio-temporal resolution Single-cell recordings 16,384 recording electrodes Pacing Multimodal Structured chip surfaces.

Challenges

Custom-made tools;

Large volume of data;

Complex chip fabrication.

Modifications

Software upgrades for user-friendliness ongoing;

Hardware improvements.

Future & Other applications

Brain-on-chip;

Cancer-on-chip;

Gut-on-chip ...

REFERENCES, ASSOCIATED DOCUMENTS AND OTHER INFORMATION

Links

A 16384-electrode 1024-channel multimodal CMOS MEA for high-throughput intracel...

Single-cell recording and stimulation with a 16k micro-nail electrode array int...

Open-cell recording of action potentials using active electrode arrays

Preminates the name of drug-induced card...









